

PROCESSED AT :
Thyrocare
D-37/1, TTC MIDC, Turbhe,
Navi Mumbai-400 703



Thyrocare®
The Trust. The Truth.

Corporate Office : Thyrocare Technologies Limited D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400703
☎ 022 - 3090 0000 / 4125 2525 ☎ 8691866066 ✉ wellness@thyrocare.com 🌐 www.thyrocare.com

REPORT

NAME : DINESH NANDWANA (57Y/M)
REF. BY : SELF
TEST ASKED : COVID-19

SAMPLE COLLECTED AT :
FLAT NO 3302 HERITAGE CO OP HSG SOCIETY CLIEF
AVENE HRANANDANIGARDEN LTD FLAT NO 3302
HERITAGE CO OP - 400076

TEST NAME	RESULT
COVID-19 QUALITATIVE PCR	DETECTED
TARGET GENE CT VALUE	33.2

Interpretation

NOT DETECTED	COVID-19 RNA was not detected in the patient specimen or less than detection limit
DETECTED	COVID-19 RNA was detected in the patient specimen
INCONCLUSIVE	Target is inconclusive, Advised to send fresh specimen for recheck

ICMR Registration No THYRO001

The performance of this test has been validated & evaluated by National Institute of Virology/ICMR.

Indications

COVID-19 is an infectious disease caused by the virus strain "severe acute respiratory syndrome coronavirus 2" (SARS-CoV-2), Common signs of infection include respiratory symptoms, fever, cough, shortness of breath and breathing difficulties. In more severe cases, infection can cause pneumonia, severe acute respiratory syndrome and kidney failure.

Methodology

COVID19 detection by polymerase chain reaction (PCR) is based on the amplification of specific regions of the SARS-CoV-2. In real Time PCR the amplified product is detected via fluorescent dyes.

Clinical Significance

Detection of COVID-19 RNA in patients with COVID-19 infection.

Limitation of the assay

1. Presence of PCR inhibitors may interfere with PCR amplification.
2. Undetected result does not rule out the possibility of infection. Presence of inhibitors, mutations & insufficient organism RNA can influence the result.

Disclaimer

1. This test is intended for use in conjunction with clinical presentation and other laboratory markers.
2. Improper specimen collection, handling, storage and transportation may result in false negative results.
3. The report represents only the specimen received in laboratory.

Sample Collected on (SCT) : 15 Nov 2020 08:22
Sample Received on (SRT) : 15 Nov 2020 23:29
Report Released on (RRT) : 16 Nov 2020 13:41
Sample Type : SWABS
Labcode : 1511000804/AF158
Barcode : Q7332442




Dr. Chaitali Nikam, Ph.D


Dr. Caesar Sengupta MD(Micro)

CUSTOMER DETAILS

As declared in our data base

Name: DINESH NANDWANA **Age:** 57Y **Sex:** M **Mobile No:** 9322243737

Barcodes/Sample_Type : Q7332442 (SWABS)
Labcode : 1511000804
Ref By : SELF
Sample_Type/Tests : SWABS:COVID-19
Sample Collected At : FLAT NO 3302 HERITAGE CO OP HSG SOCIETY CLIEF AVENE
HRANANDANIGARDEN LTD FLAT NO 3302 HERITAGE CO OP - 400076
Sample Collected on (SCT) : 15 Nov 2020 08:22
Report Released on (RRT) : 16 Nov 2020 13:41

Thyrocare,D-37/1,MIDC,Turbhe,Navi Mumbai - 400703. | Phone:022 - 67123400 | www.thyrocare.com | info@thyrocare.com

CONDITIONS OF REPORTING

- ✓ The reported results are for information and interpretation of the referring doctor only.
- ✓ It is presumed that the tests performed on the specimen belong to the patient; named or identified.
- ✓ Results of tests may vary from laboratory to laboratory and also in some parameters from time to time for the same patient.
- ✓ Should the results indicate an unexpected abnormality, the same should be reconfirmed.
- ✓ Only such medical professionals who understand reporting units, reference ranges and limitations of technologies should interpret results.
- ✓ This report is not valid for medico-legal purpose.
- ✓ Neither Thyrocare, nor its employees/representatives assume any liability, responsibility for any loss or damage that may be incurred by any person as a result of presuming the meaning or contents of the report.
- ✓ Thyrocare Discovery video link :- <https://youtu.be/nbdYeRgYyQc>
- ✓ For clinical support please contact @8450950851,8450950852,8450950853,8450950854 between 10:00 to 18:00

EXPLANATIONS

- ✓ Majority of the specimen processed in the laboratory are collected by Pathologists and Hospitals we call them as "Clients".
- ✓ **Name** - The name is as declared by the client and recored by the personnel who collected the specimen.
- ✓ **Ref.Dr** - The name of the doctor who has recommended testing as declared by the client.
- ✓ **Labcode** - This is the accession number in our laboratory and it helps us in archiving and retrieving the data.
- ✓ **Barcode** - This is the specimen identity number and it states that the results are for the specimen bearing the barcode (irrespective of the name).
- ✓ **SCP** - Specimen Collection Point - This is the location where the blood or specimen was collected as declared by the client.
- ✓ **SCT** - Specimen Collection Time - The time when specimen was collected as declared by the client.
- ✓ **SRT** - Specimen Receiving Time - This time when the specimen reached our laboratory.
- ✓ **RRT** - Report Releasing Time - The time when our pathologist has released the values for Reporting.
- ✓ **Reference Range** - Means the range of values in which 95% of the normal population would fall.

SUGGESTIONS

- ✓ Values out of reference range requires reconfirmation before starting any medical treatment.
- ✓ Retesting is needed if you suspect any quality shortcomings.
- ✓ Testing or retesting should be done in accredited laboratories.
- ✓ For suggestions, complaints or feedback, write to us at **info@thyrocare.com** or call us on **022-3090 0000 / 6712 3400**
- ✓ SMS:<Labcode No.> to **9870666333**

Preventive Healthcare is now at your fingertips!

Download Thyroapp Now

Are you chronically tired, feel bloated, have abdominal pain, brain fog or suffer from recurrent cold or sinus problems?

Healthy food does not mean its good for you...

Understand the facts behind your symptoms with Food Intolerance profile

Food Intolerance Profile

9 categories including 217 food items

▶ Meat (16)	▶ Dairy (9)	▶ Vegetables (39)
▶ Cereals (18)	▶ Fish (38)	▶ Spices (31)
▶ Nuts (11)	▶ Fruits (38)	▶ Miscellaneous (17)

Follow elimination diet... feel better again!

☎ : 8422849896

✉ : foodi@thyrocare.com

Scan Me

Thyrocare Video

Thyrocare®

The Trust. The Truth.